

(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 1 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

as)	
BASIC INFORMATION	
Type of Product	SMD DISPLAY
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: allenchiang@everlight.com
Contact Person	Allen
EVERLIGHT REPORT NO	EVERLIGHT-SMD DISPLAY SERIES
	Sampling Product : SS436SURWA/A3-C -SGS-15-Sep-2023
PRODUCT INFORMATION	
Product/component Sample description	PANEL DISPLAY COMPONENT
Quantity (numbers or weight)	0.868 g
EVERLIGHT P/N	SMD DISPLAY SERIES
	Sampling Product : SS436SURWA/A3-C
Product Lot No	ZS23031710
Country of Origin	CHINA
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
-	

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 01-Sep-2023

(Testing Period) : 01-Sep-2023 to 15-Sep-2023

(Test Results) : (Please refer to following pages).





PIN CODE: 3D70431



(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 2 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) : (1) RoHS 2011/65/EU Annex II (EU) 2015/863

, DBP, BBP, DEHP, DIBP (As

specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) PAHs (As specified by client, to test PAHs and other item(s).)

(Conclusion) : (1) , DBP,

BBP, DEHP, DIBP RoHS 2011/65/EU Annex II (EU) 2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)

(2) (A fPS) GS
PA Hs 3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) Other consumer products as set by

German Committee on Product Safety (AfPS) GS PAHs.)

(Test Part Description)

No.1 : (WHITE PLASTIC WITH GRAY PRINTED AND GLUE)

No.2 : (GREEN PCB AND ALL COMPONENTS ON IT)

(Test Results)

(Test Items)	(Method)	(Unit)	MDL	(Res	sult)	(Limit)
				No.1	No.2	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.	n.d.	100
	(With reference to					
(Pb) (Lead (Pb))	IEC 62321-5: 2013, analysis was	mg/kg	2	n.d.	8.85	1000
	performed by ICP-OES.)					



(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 3 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
3 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Res	sult)	(Limit)
				No.1	No.2	
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017	mg/kg	2	n.d.	n.d.	1000
	(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)					
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	n.d.	1000
(Monobromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Dibromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tribromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tetrabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Octabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Nonabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.	n.d.	-
(Sum of PBBs)	/ (With reference to IEC	mg/kg	-	n.d.	n.d.	1000
(Monobromodiphenyl ether)	62321-6: 2015, analysis was	mg/kg	5	n.d.	n.d.	-
(Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	n.d.	-
(Tribromodiphenyl ether)	1	mg/kg	5	n.d.	n.d.	-
(Tetrabromodiphenyl ether)	1	mg/kg	5	n.d.	n.d.	-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Octabromodiphenyl ether)]	mg/kg	5	n.d.	n.d.	-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Decabromodiphenyl ether)]	mg/kg	5	n.d.	n.d.	-
(Sum of PBDEs)]	mg/kg	-	n.d.	n.d.	1000



(Page): 4 of 20



(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 5 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		MDL			
(Method)	(Unit)				(Limit)
			No.1	No.2	
IEC 62321-8: 2017	mg/kg	50	n.d.	n.d.	-
/ (With reference to IEC					
62321-8: 2017, analysis was					
performed by GC/MS.)					
IEC 62321-8: 2017	mg/kg	50	n.d.	n.d.	-
/ (With reference to IEC					
62321-8: 2017, analysis was					
performed by GC/MS.)					
IEC 62321-8: 2017	mg/kg	50	n.d.	n.d.	-
/ (With reference to IEC					
62321-8: 2017, analysis was performed by GC/MS.)					
,		FO	ام ما	اء ما	
IEC 62321-8: 2017	mg/kg	50	n.d.	n.d.	-
/ (With reference to IEC 62321-8: 2017, analysis was					
performed by GC/MS.)					
IFC 62321-8: 2017	ma/ka				
/ (With reference to IEC	mg/kg				
62321-8: 2017, analysis was					
performed by GC/MS.)					
,					



(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 6 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL			
(Test Items)	(Method)	(Unit)		(Res	sult)	(Limit)
				No.1	No.2	
(F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	465	760	-
(CI) (Chlorine (CI)) (CAS No.: 22537-15- 1)	BS EN 14582: 2016 (With reference to BS EN	mg/kg	50	75.8	769	-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	67600	-
(I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	n.d.	-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	n.d.	-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	n.d.	-
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	n.d.	-



(No.): ETR23900015 (Date): 15-Sep-2023

Pate): 15-Sep-2023 (Page): 7 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL			
(Test Items)	(Method)	(Unit)		(Res	sult)	(Limit)
				No.1	No.2	
(Polycyclic Aromatic Hydrocarbons) (PAHs)						
(a) (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	n.d.	
(e) (Benzo[e]pyrene) (CAS No.: 192- 97-2)		mg/kg	0.2	n.d.	n.d.	
(Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	n.d.	
(b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	n.d.	
(j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	n.d.	
(k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	A fPS GS 2019:01 PA K	mg/kg	0.2	n.d.	n.d.	
(Chrysene) (CASNo.: 218-01-9)	/ (With reference to	mg/kg	0.2	n.d.	n.d.	
(Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	AfPS GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	n.d.	
(Benzo[g,h,i]perylene) (CAS No.: 191- 24-2)		mg/kg	0.2	n.d.	n.d.	
(Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	n.d.	
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	n.d.	
(Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	n.d.	
(Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	n.d.	
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	n.d.	
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	n.d.	
15 (Sum of 15 PAHs)		mg/kg	-	n.d.	n.d.	





(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 9 of 20

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1)	2 (Cat	egory 2)	3 (Cat	egory 3)
(Parameter)	(30) 2009/48/EC 3 (Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))	are not in Category intended or foreserskin contact (> 30 s short-term repetitives kin) a. 14 (Use by children under 14)	eable long-term seconds) or ve contact with b. (Other consumer	()(Mat covered by Catego intended or forese term skin contact (a. 14 (Use by children under 14)	30 erials not ry 1 or 2, with eable short- 30 seconds)) b. (Other consumer
Naphthalene	< 1	< 2		< 1	•
Phenanthrene					
Anthracene	1 Cum	. F. Cuma	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 PAH (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

(Unit) mg/kg



(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 10 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Classification of Substance Concentration)	(Substance Name)	CAS No.
	(PFOS-K)	2795-39-3
Perfluorooctane sulfonates and its	Potassium perfluorooctanesulfonate (PFOS-K)	
salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	(PFOS-NH ₄)	29081-56-9
	Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	
	(PFOS-NH(OH) ₂)	70225-14-8
	Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	
	$(PFOS\text{-}N(C_2H_5)_4)$	56773-42-3
	Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C_2H_5) ₄)	



(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 11 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Classification of Substance Concentration)	(Substance Name)	CAS No.
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
Perfluorooctanoic acid and its salts	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	(PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



(No.): ETR23900015


(Date): 15-Sep-2023

(Page): 12 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr⁶⁺ test method excluded






(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 13 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(No.): ETR23900015

(Date): 15-Sep-2023


(Page): 14 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)

(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 15 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - HBCDD





(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 16 of 20


(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 17 of 20

(EVERLIGHT ELECTRONICS CO., LTD.) b-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(/ / /) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 18 of 20

(EVERLIGHT ELECTRONICS CO., LTD.) -8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)






(No.): ETR23900015 (Date): 15-Sep-2023 (Page): 19 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

() / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR23900015

(Date): 15-Sep-2023

(Page): 20 of 20

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The tested sample / part is marked by an arrow if it's shown on the photo.)



ETR23900015 NO.2



* (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan