

25)

(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 1 of 23

# Test Report

#### (EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

Type of Product	IRM
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	IRM-2xxx/3xxx/5xxx/6xxx/7xxx/8xxx SERIES
	Sampling Product : IRM-3638J7F114-SGS-15-Mar-2024
PRODUCT INFORMATION	
Product/component Sample	Receiver
description	
Quantity (numbers or weight)	0.4497 g
EVERLIGHT P/N	IRM-2xxx/3xxx/5xxx/6xxx/7xxx/8xxx SERIES
	Sampling Product : IRM-3638J7F114
Product Lot No	Y240127I0502AAK
Country of Origin	China
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
(Sample Submitted By)	: (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 06-Mar-2024 (Testing Period) : 06-Mar-2024 to 15-Mar-2024

(Test Results)

(Please refer to following pages).







(No.): ETR24301210

(Date): 15-Mar-2024

### (EVERLIGHT ELECTRONICS CO., LTD.)

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested)	: (	1)	RoHS 2011/65	5/EU Annex II	(EU) 2	2015/863
				, DBP, BBP	P, DEHP, DIB	P (As specified
		by client, with re	ference to RoHS	2011/65/EU Annex	II and amen	ding Directive
		2		nium, Lead, Mercur		0
				submitted sample(s)		
	(	2)	PAHs	(As specified b	by client, to	test PAHs and
		other item(s).)				
(Conclusion)	: (	1)				, DBP, BBP,
		DEHP, DIBP	RoHS	2011/65/EU Annex I		(EU) 2015/863
				rmed tests on subm		( )
		•	1	ry, Cr(VI), PBBs, PBD		. ,
				5		
			5	oHS Directive (EU) 2	2015/803 811	iending Annex II
		to Directive 201	1/65/EU.)			
	(	2)				(A fPS) G S
		PAHs 3		(Based upon th	ne performe	d tests on the
		submitted samp	le(s) the test resi	ults of PAHs (15 item		
				O ther consumer pr		
					ouucis as	set by definan
		Committee on P	roduct Safety (Af	PS) GS PAHS.)		
(Test Part Des	criptior	1)				
No.1 : (BODY	)					

140:1	•	
No.2	:	(PLATING LAYER OF SILVER COLORED METAL PIN)
No.3	:	(BASE MATERIAL OF SILVER COLORED METAL PIN)
No.4	:	( ) (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

(Test Results)

(Test Items)	(Method) (Ur		MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013	mg/kg	2	n.d.			100
(Pb) (Lead (Pb))	(With reference to IEC 62321- 5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.			1000



#### (No.): ETR24301210

(Date): 15-Mar-2024

#### (Page): 3 of 23

### (EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)		(Result)			(Limit)
				No.1	No.2	No.3	
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			1000
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.			1000
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)		mg/kg	5	n.d.			-
(Tribromobiphenyl)		mg/kg	5	n.d.			-
(Tetrabromobiphenyl)	n	mg/kg	5	n.d.			-
(Pentabromobiphenyl)	1	mg/kg	5	n.d.			-
(Hexabromobiphenyl)	1	mg/kg	5	n.d.			-
(Heptabromobiphenyl)		mg/kg	5	n.d.			-
(Octabromobiphenyl)		mg/kg	5	n.d.			-
(Nonabromobiphenyl)		mg/kg	5	n.d.			-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.			-
(Sum of PBBs)	/ (With	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	reference to IEC 62321-6:	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)	by GC/IVIS.)	mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.			-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Heptabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Octabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Nonabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Decabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Sum of PBDEs)		mg/kg	-	n.d.			1000



(No.): ETR24301210

(Date): 15-Mar-2024

#### (Page): 4 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit) MDL		(Result)			(Limit)
(100110)		(Ormy)		No.1	No.2 No.3		
(BBP) (Butyl benzyl phthalate (BBP))		mg/kg	50	n.d.			1000
(DBP) (Dibutyl phthalate (DBP))		mg/kg	50	n.d.			1000
(2- ) (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))		mg/kg	50	n.d.			1000
(DIBP) (Diisobutyl phthalate (DIBP))		mg/kg	50	n.d.			1000
(DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	IEC 62321-8: 2017 / (With reference to IEC 62321-8:	mg/kg	50	n.d.			-
(DIN P) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)		mg/kg	50	n.d.			_
(DNOP) (Di-n- octyl phthalate (DNOP)) (CAS No.: 117-84-0)		mg/kg	50	n.d.			_
(DNPP) (Di-n- pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DNHP) (Di-n- hexyl phthalate (DNHP)) (CAS No.: 84-75-3)		mg/kg	50	n.d.			-
(2- ) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)		mg/kg	50	n.d.			-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11- 3)		mg/kg	50	n.d.			-
(DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)		mg/kg	50	n.d.			_



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 5 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)			(Result)		(Limit)
				No.1	No.2	No.3	
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(HBCDD) ( - HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( - HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237- 51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.			_
(F) (Fluorine (F)) (CASNo.: 14762- 94-8)		mg/kg	50	n.d.			-
(CI) (Chlorine (CI)) (CASNo.: 22537-15-1)	BS EN 14582: 2016 (With reference	mg/kg	50	325			-
(Br) (Bromine (Br)) (CASNo.: 10097-32-2)	to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.			-
(I) (lodine (I)) (CASNo.: 14362-44- 8)		mg/kg	50	n.d.			-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 6 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)			(Limit)
(Test terns)	(Method)	(Orint)		No.1	No.2 No.3		
(Polycyclic Aromatic Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CASNo.: 50-32-8)		mg/kg	0.2	n.d.			
(e) (Benzo[e]pyrene) (CASNo.: 192-97-2)		mg/kg	0.2	n.d.			
(Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.			
(b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.			
(j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.			
(k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	A fPS G S 2019:01 PA K	mg/kg	0.2	n.d.			
(Chrysene) (CASNo.: 218-01-9)	/ (With	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	reference to AfPS GS 2019:01 PAK, analysis was performed	mg/kg	0.2	n.d.			
(Benzo[g,h,i]perylene) (CAS No.: 191-24-2)	by GC/MS.)	mg/kg	0.2	n.d.			
(Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.			
(Anthracene) (CASNo.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CASNo.: 206- 44-0)		mg/kg	0.2	n.d.			
(Phenanthrene) (CASNo.: 85-01- 8)		mg/kg	0.2	n.d.			
(Pyrene) (CASNo.: 129-00-0)		mg/kg	0.2	n.d.			
(Naphthalene) (CASNo.: 91-20-3)		mg/kg	0.2	n.d.			
15 (Sum of 15 PAHs)		mg/kg	-	n.d.			



(No.): ETR24301210

(Date): 15-Mar-2024

(EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(Test Items)	(Method)	(Unit)		(Result)			(Limit)
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	No.1 n.d.	No.2	No.3	-
(Cd) (Cadmium (Cd))	IEC 62321-5: mg 2013 (IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP- OES.)		2		n.d.		100
(Pb) (Lead (Pb))			2		48.3		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP- OES.)	mg/kg	2			n.d.	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2			n.d.	1000



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 8 of 23

### (EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(Test Items)	(Method)	(Unit)	MDL		(Result)		(Limit)
					No.1	No.2	No.3	
	(Hexavalent Chromium) Cr(VI)	IEC 62321-7-1: 2015	µg/cm²	0.1		n.d.	n.d.	-
(#2)		- (With reference to IEC 62321-7- 1: 2015, analysis was performed by UV-VIS.)						

(Test Items)	(Method)	(Unit)	MDL	(Result) No.4	(Limit)
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3050B: 1996 (With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	-

)

(Note)

1. mg/kg = ppm 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit (

3. n.d. = Not Detected ( ); MDL / Less than MDL

)

)

4. "-" = Not Regulated (

5. "---" = NotConducted (

```
6. (#2) =
```

a.0.13 μg/cm². / The sample is positive for Cr(VI) if the Cr(VI)concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).b.n.d. (0.10 μg/cm²). / The sample is negative for Cr(VI) if Cr(VI) isn.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coatingc.0.100.13 μg/cm². / The result between 0.10 μg/cm² and0.13 μg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.

7. ILA C-G 8:09/2019

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

(W=O)



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 9 of 23

#### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### PAHs Remark

(A fPS): GS PAHs AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1)	2 (Cate	egory 2)	3 (Cate	egory 3)
(Parameter)	intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended	are not in Category	eable long-term seconds) or	covered by Catego intended or foresec term skin contact (	30 erials not ry 1 or 2, with eable short-
	long-term skin contact (> 30 seconds))	14 (Use by children under 14)	(Other consumer products)		(Other consumer products)
Naphthalene	< 1	< 2		< 10	
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< i Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 PAH (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

(Unit) mg/kg



(N o.): ETR24301210

(Date): 15-Mar-2024

## Test Report

### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### PFAS Remark PFAS

PFA S		PFAS		
		PFAS		PFAS
(	PFAS		PFA S	)

( PFAS PFAS ) (The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

		CAS No.
(Group Name)	(Substance Name)	
PFOS, & (PFOS, its salts & derivatives)	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	$(PFOS-NH_4) \\ Perfluorooctanesulfonic acid, ammonium salt \\ (PFOS-NH_4) \\ \label{eq:problem}$	29081-56-9
	$(PFOS-NH(OH)_2) \\ Perfluorooctane sulfonate diethanolamine salt \\ (PFOS-NH(OH)_2) \\ \label{eq:problem}$	70225-14-8
	$(PFOS-N (C_2H_5)_4) \\ Perfluorooctanesulfonic \\ acid,tetraethylammonium salt (PFOS-N (C_2H_5)_4) \\ \end{cases}$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS- DDA)	251099-16-8



(No.): ETR24301210

(Date): 15-Mar-2024

(EVERLIGHT ELECTRONICS CO., LTD.)

### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Group Name)	(Substance Name)	CAS No.
PFOS, & (PFOS, its salts & derivatives)	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctanesulfonate	71463-74-6
PFOA, & (PFOA, its salts & derivatives)	(Perfluorooctanoic acid) (PFOA)	335-67-1
	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	(PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(A PFO ) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, indemonffication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unl



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 12 of 23


(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Cr<sup>6+</sup> test method excluded





#### (No.): ETR24301210

(Date): 15-Mar-2024

(Page): 13 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr<sup>6+</sup> test method excluded

/ Preparation		
/		
Sample measurement (weight)		
/		
Prepare suitable acid solution		
/		
Put sample into acid solution		
/ Dissolve plating layer		
/ Solution		



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 14 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

/

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs / First testing process / Optional screen process / Confirmation process / Sample pretreatment ...... / Screen analysis •••••• / Sample extraction / Soxhlet method Ļ / Concentrate/Dilute extracted solution ↓ / Filter Ť / GC/MS Ť / Data



(No.): ETR24301210

(Date): 15-Mar-2024


(Page): 15 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



/ Analytical flow chart - Halogen

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



(No.): ETR24301210


(Date): 15-Mar-2024

#### (Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( / / / ) / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





(No.): ETR24301210


(Date): 15-Mar-2024

(Page): 19 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR24301210

(Date): 15-Mar-2024


(Page): 20 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( ) / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart. /Reference method US EPA 3051A US EPA 3052





#### (No.): ETR24301210

(Date): 15-Mar-2024

#### (Page): 21 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , / Aqua regia, HNO $_3$ , HCI, HF, H $_2O_2$
/ Glass	, / HNO <sub>3</sub> ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO <sub>3</sub>
/ Plastic	, , , / H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCI
/ Others	/ Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 22 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

\* / . \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



### ETR24301210 NO.2





(No.): ETR24301210

(Date): 15-Mar-2024

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

\*\*